

**LOAD CENTER** 



# Q0112M100P

Load center, QO, 1 phase, 12 spaces, 24 circuits, 100A convertible main breaker, NEMA1, UL



#### Main

Marketing Trade Name	QO
Product Type	Load Center

## Complementary

Complementary	
Tightening Torque	Cover: 20 lb.in
Load Center Type	Main breaker
Rated Current	100 A
Number of Spaces	12
Max Short Circuit Current Rating	22 kA
Maximum Number of Single Pole Circuits	24
Maximum Number of Tandem Breakers	12
Number of Phases	1 phase
Ground Bar	Grounding bar (ordered separately)
Box Number	5
Height	14.92 in (378.97 mm)
Width	14.25 in (361.95 mm)
Depth	3.75 in (95.25 mm)

### Environment

Enclosure Rating	NEMA 1 for indoor
Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
Product Certifications	UL Listed

#### Ordering and shipping details

Category	10001 - QO PON 1PH LC,12-60 CKT, MB N1	
Discount Schedule	DE3A	
GTIN	00785901595878	
Nbr. of units in pkg.	1	
Package weight(Lbs)	1 lb(US) (0.45 kg)	
Returnability	Yes	
Country of origin	US	

#### Offer Sustainability

onor odotamasinty		
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant E EU RoHS Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	€Yes	
China RoHS Regulation	☑ China RoHS Declaration	